

301 Dustop - INDUSTRIAL SINGLE PHASE



FOOD INDUSTRY



TEXTILE



SURFACE PREPARATION



FINISHING



- ✓ Easy filter replacement
- ✓ Compact and mobile
- ✓ Extractable collection container with optional use of disposable bags
- ✓ Complete steel construction
- ✓ High filtration efficiency
- ✓ Accessory kit as standard
- ✓ Possibility to recover dust from power tools thanks to the automatic start/stop option
- ✓ Integrated filter cleaning system



SUCTION UNIT

Voltage	V - Hz	230 - 50
Power	kW	1,15
Max waterlift	mmH2O	2.500
Max air flow	m ³ /h	180
Suction inlet	mm	50
Noise level (EN ISO 3744)	dB(A)	74



FILTRATION UNIT

Filter Type	Cartridge	
Surface - Diameter	cm ² -mm	6.000 - 360
Material - Efficiency	IEC 60335-2-69	Polyester - M
Air load on filter	m ³ /m ² /h	300
Cleaning system	Dustop	



COLLECTION UNIT

Discharge system	Roll-out container	
Capacity	lt.	13



VOLUME

Dimensions	cm	46x48x85h
Weight	kg	25



SUCTION UNIT

The suction is made by a carbon brush by-pass motor which is activated by an independent switch placed inside a robust metal motor head. The motor head is soundproofed by sound-absorbent material.



FILTRATION UNIT

It is possible to clean the filter using the Dustop, an integrated reverse pulse system: by closing the suction inlet and opening a flap in the filter chamber, the airflow generated by the motor cleans the filter thoroughly and safely, maintaining constant suction performance and preventing any dispersion of dust in the environment.

The suction inlet is tangential and the cyclone is entirely welded, consequently slowing the sucked chips and protecting filters.



COLLECTION UNIT

The vacuumed material is collected into a wheeled steel container, which can be extracted for easy disposal and can be used with optional disposable bags, for safer and handier disposal.



OPTIONALS

- ✓ OTHER VOLTAGES AND FREQUENCIES AVAILABLE UPON REQUEST
- ✓ STAINLESS STEEL TANK AND FILTER CHAMBER
- ✓ STAINLESS STEEL COLLECTION TANK
- ✓ TOTAL STAINLESS STEEL CONSTRUCTION
- ✓ ACTIVATED CARBON FILTER
- ✓ ANTISTATIC FILTER CLASS M
- ✓ EARTH GROUNDING