


Applicable Requirements : ANSI/UL 1017 CSA C22.2 No.243





- ULPA Filter With an efficiency of 99.999% on 0.12 micron. Filtration efficiency of 99.9995% on 0.18 micron. Tested: IEST-RP-CC001. U15 by MPPS method as per EN 1822. All of our ULPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility - Included
- *Cleanroom compatible with ISO Class 4 (former Class 10). Can be used in the pharmaceutical industry
- Static Free and ESD Safe.
- EMI/RFI Shielded
- Autoclavable Sieve Basket with stainless steel mesh filter.
- Designed for the Recovery of broken Bulbs and Glass
- Bypass Heavy Duty motor
- For wet and dry recovery
- Electropolished Stainless Steel Recovery Tank
- Liquid recovery capacity of 7.5 gallons (53 liters) of coolant in recovery tank and 4 gallons (47 liters) of chips in Sieve Basket.
- Mounted on a 4-wheel dolly for easy maneuverability.
- Includes a complete tool kit.

Specifications

CWR-10 (PHARMA)	110535A
Model Name	CWR-10 (PHARMA)
Type (Powerhead)	Electric
Voltage	120 V
Hertz	60 Hz
Phase	Single
Wattage	1200 W
Power	1.6 HP
Amperage	10.5 amps.
Air Flow	110 CFM
Vacuum Pressure	107 " H ₂ 0
Sound Level	75 dB(A)
Plug Type	120V
Suction Inlet	2 "
Cart Type	4 Wheel Dolly (4W)
Filter Cleaning	None
Dry Recovery - Tank	4 Gal
Wet Recovery Capacity	7.5 Gal
Width	17 "
Weight (Vacuum Only)	77 lbs.
Height	39 "
Cord Length	35 ft.

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



CWR-10 (PHARMA) Sieve Basket - Included




Stainless Steel Mesh Filter - Included





CWR-10 (PHARMA) Tools and Accessories - Included



Needle Trap - Optional