Tiger-Vac®

...The name to vacuum with

EXP1-10 (4W) BASE MODEL

*Pharma - Dry Recovery

EXP1 Models Certified for:
Class I, Division 1, Group D T3C and Class II, Division 1, Groups E, F and G

Ex d IIA T4 Gb
Ex t IIIC T120°C Db IP65
IECEx LCI 10.0039

GUARANTEED for the Safe Recovery of Combustible/Conductive Dusts

ESD Safe Vacuum Cleaners for Hazardous Locations are designed to prevent ignition hazards.
We use metal parts or Static Dissipative Powder Coating to prevent Electrostatic Discharge (ESD)

Characteristics

- HEPA Filter Available — HEPA - Optional
- Pharma Applications
- Cleanroom Compatible
- Explosion Proof
- ULPA Filter Available — ULPA - Optional
- Less than 10 ohms
- Dry Recovery

- Legally certified explosion proof/dust ignition proof.
- Less than 10 Ohms of resistivity.
- HEPA Filter - Optional with an efficiency of 99.995% on 0.3 micron. Tested: IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- *Cleanroom compatible with ISO Class 4 (former Class 10). Can be used in the pharmaceutical industry
- For general cleanup in hazardous locations
- Single Phase explosion proof / dust ignition proof motor.
- For dry recovery only
- All Stainless Steel SAE 304 construction
- SD* Polyliner and clip available for the easy and safe disposal of recovered materials.
- Mounted on an SD* 4-wheel dolly for easy maneuverability. Dolly has SD* conductive wheels
- Complete SD* Tool Kit available

Tiger-Vac Inc.
11 SW 12th Ave #112
Dania, FL 33004
USA

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: 1-800-668-4437 (954-925-3625)
Fax: 1-800-668-4439 (954-925-3626)

Website: http://www.tiger-vac.com
Email: sales@tiger-vac.com

Specifications

EXP1-10 (4W) BASE MODEL	111330A
Model Name	EXP1-10 (4W) BASE MODEL
Type (Powerhead)	Electric
TEFC Motor	Yes
Voltage	120 V
Hertz	60 Hz
Phase	Single
Wattage	1000 W
Power	1.3 HP
Amperage	9 amps.
Air Flow	132 CFM
Vacuum Pressure	69 " H_20
Sound Level	78/85 dB(A)
Plug Type	Not Included
Suction Inlet	1.5 "
Cart Type	4 Wheel Dolly (4W)
Filter Cleaning	None
Dry Recovery - Tank	6 Gal
Wet Recovery Capacity	7.5 Gal
Width	18 "
Weight (Vacuum Only)	82 lbs.
Height	33 "
Cord Length	50 ft.

Please note that specifications are subject to change without notice

Tiger-Vac Inc.
11 SW 12th Ave #112
Dania, FL 33004
USA

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: 1-800-668-4437 (954-925-3625)
Fax: 1-800-668-4439 (954-925-3626)

Website: http://www.tiger-vac.com
Email: sales@tiger-vac.com

Use only recommended tools & accessories

Main Cloth Filter, Static Dissipative - Included

Pre-Filter, Static Dissipative - Optional

Liquid Filter - Optional

HEPA Filter - Optional

Ø1.5" (Ø38mm) Static Dissipative Tools and Accessories - Optional

Tiger-Vac Inc.
11 SW 12th Ave #112
Dania, FL 33004
USA

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: 1-800-668-4437 (954-925-3625)
Fax: 1-800-668-4439 (954-925-3626)

Website: http://www.tiger-vac.com
Email: sales@tiger-vac.com