

Characteristics




HEPA - Included



High Efficiency



Activated Carbon



EMI Shielded



Mercury Recovery



Wear Protective Clothing (PPE)



- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- Designed for Mercury Recovery
- Thru-Flow heavy duty motor.
- For dry recovery only
- Polyethylene recovery tank.
- EMI/RFI Shielded
- Timer (hour counter) included.
- Available with an optional Variable Speed Controller
- Includes Mersorb® brand carbon for the adsorption of Mercury vapors
- Includes a Suction Hose, Mercury Separator and Jars with Lids
- Mounted on a 4-wheel dolly for easy maneuverability.
- Optional Suction Cups are available.

Specifications

MRV-8 POLY	110116A
Model Name	MRV-8 POLY
Type (Powerhead)	Electric
Voltage	120 V
Hertz	60 Hz
Phase	Single
Wattage	1000 W
Power	1.3 HP
Amperage	8.5 amps.
Air Flow	120 CFM
Vacuum Pressure	95 " H ₂ O
Sound Level	70 dB(A)
Plug Type	120V
Suction Inlet	1.5 "
Cart Type	4 Wheel Dolly (4W)
Filter Cleaning	None
Dry Recovery - Tank	4 Gal
Length	18 "
Width	18 "
Weight (Vacuum Only)	44 lbs.
Height	26 "
Cord Length	35 ft.

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



Hour Counter for MRV models - Included



Mercury Recovery Separator with Jar - Included



Clear Suction Hose Assembly for use with Mercury Separator - Included



Activated Carbon Cartridge for Mercury Recovery - Included



Jar for Mercury Recovery, 20 oz (540 ml) with lid - Optional